


Auchinairn Early Years Centre Health & Safety Risk Assessment



Date	October 2025
------	--------------

Nursery Activities:
EYC Centre Corridor

Activity	Hazards	Potential Loss	Risk	Person at Risk	Control Measures	Additional Measures
Plugs/Sockets	Electric shock	Death	2 (1x2)	Staff Children	Staff supervision Yearly PAC testing Staff only to plug in devices	Ongoing monitoring
Willow Tree	Electric shock	Death	2 (1x2)	Staff Children	Staff supervision Yearly PAC testing Staff only to plug in devices	Ongoing monitoring
Tables, Chairs & Units	Falling over Jammed fingers	Bumps Bruises Sores Cuts	3 (2x1)	Staff Children	Round edged furniture Chairs tucked in under tables	Ongoing monitoring

Auchinairn Early Years Centre Health & Safety Risk Assessment

					Anti-tilt legged chairs	
Doors	Trips Falls Jammed fingers	Bumps Bruises Sore fingers	2 (1x2)	Children	Staff supervision Locked doors where appropriate Appropriate adult: child ratio when using the corridor	Ongoing monitoring Awareness of appropriate behaviours when in corridor
Open Space	Missing child		1 (1x1)	Children	Staff supervision Appropriate adult: child ratio when using the corridor Children always in sight of staff	Ongoing monitoring Awareness of appropriate behaviours when in corridor
Display Boards	Possible fall	Bumps Bruises Sores Cuts	3 (2x1)	Staff Children Adults	Checked regularly to make sure they are safely secured	Ongoing monitoring

	Likelihood that hazardous events will occur		Consequences	Risk rating	Action
1	very unlikely	1	insignificant – no injury	20-25	Stop – stop activity and take immediate action
2	unlikely	2	minor – minor injuries needing first aid	15-16	Urgent action – take immediate action and stop activity if necessary, maintain existing controls rigorously
3	fairly likely	3	moderate – up to three days absence	8-12	Action – improve within specified timescale



Auchinairn Early Years Centre Health & Safety Risk Assessment

4	likely	4	major – more than seven days absence	3-6	Monitor – look to improve at next review or if there is a significant change
5	Very likely	5	catastrophic - death	1-2	No action – no further action but ensure controls are maintained and reviewed